

Pesticide (Herbicide, Rodenticide, Fungicide, Insecticide) Citations

- . 2002. Spatial tests of the pesticide drift, habitat destruction, UV-B, and climate-change hypotheses for California amphibian declines. *Conservation Biology* 16:1588-1601.
- Battaglin, William A., Karen C. Rice, Michael J. Focazio, Sue Salmons, Robert X. Barry. 2008. The occurrence of glyphosate, atrazine, and other pesticides in vernal pools and adjacent streams in Washington, DC, Maryland, Iowa, and Wyoming, 2005–2006. *Environ Monit Assess* 155:281–307 DOI 10.1007/s10661-008-0435-y
- Bees in freefall as study shows sharp US decline, UK Guardian, 1/3/11
- Benachour, N., and Seralini, G. E. 2009. Glyphosate formulations induce apoptosis and necrosis in human umbilical, embryonic, and placental cells. *Chem. Res. Toxicol.* 22, 97–105.
- Benachour, Nora and Gilles-Eric Seralini. 2008. Glyphosate formulations induce apoptosis and necrosis in human umbilical, embryonic, and placental cells. *Chemical Research in Toxicology* DOI: 10.1021/tx800218n
- Black, S.H. et al. 2009. Yolo Natural Heritage Program (HCP/NCCP) Pollinator Conservation Strategy. Xerces Society for Invertebrate Conservation. Portland, Oregon and Sacramento, California.
- Blaustein, A.R., J.R. Romansic, J.M. Kiesecker, and A.C. Hatch. 2003. Ultraviolet radiation, toxic chemicals, and amphibian population declines. *Diversity and Distributions* 9:123-140.
- Buchmann, S.I and G.P. Nabhan. 1996. *The Forgotten Pollinators*. Washington DC., Island Press.
- California Department of Pesticide Regulation. 2011. Summary of Pesticide Use Report Data: 2010: Indexed by Commodity. Page 265. Accessed 10 June 2012 from: <http://www.cdpr.ca.gov/docs/pur/pur10rep/comrpt10.pdf>
- California Native Plant Society (CNPS). Forestry Program. Accessed 1 April 2012 from: http://cnps.org/cnps/conservation/forestry/herbicides/herbicides_on_nonfederal_forests.php
- California Office of Environmental Health Hazard Assessment. 2015. Current Proposition 65 list. http://oehha.ca.gov/prop65/prop65_list/newlist.html
- Cauble, K., and R.S. Wagner. 2005. Sublethal effects of the herbicide Glyphosate on amphibian metamorphosis and development. *Bulletin of Environmental Contaminants and Toxicology* 27:429-435.
- Chen, C.Y., K.M. Hathaway, and C.L. Folt. 2004. Multiple stress effects of Vision® herbicide, pH, and food on zooplankton and larval amphibian species from forest wetlands. *Environmental Toxicology and Chemistry* 23:823-831.
- Clair, E. et al. 2012. A glyphosate-based herbicide induces necrosis and apoptosis in mature rat testicular cells in vitro, and testosterone decrease at lower levels. *Toxicol in Vitro* 26(2):269-79.

- Cox, C. 1998. Herbicide Factsheet: Glyphosate (Roundup). Journal of Pesticide Reform 18(3): 3-17.
<http://www.madisonaudubon.org/audubon/alerts/200405Roundup/roundup.pdf>
- Cox, Caroline. 1996. Herbicide Factsheet: Imazapyr. Journal of Pesticide Reform Vol 16, No 3.
- Cox, Caroline. 1998 (revised 2000). Glyphosate factsheet. Journal of Pesticide Reform v. 108, n.3.
- Davidson, C. 2004. Declining downwind: amphibian population declines in California and historical pesticide use. Ecological Applications 14:1892-1902.
- Davidson, C., and R.A. Knapp. 2007. Multiple stressors and amphibian declines: dual impacts of pesticides and fish on yellow-legged frogs. Ecological Applications 17:587-597.
- Davidson, C., H.B. Shaffer, and M.R. Jennings. 2001. Declines of the California red-legged frog: climate, UV-B, habitat, and pesticide hypotheses. Ecological Applications 11:464-479.
- Doyle, Jack. 2004. Trespass Against Us. Common Courage Press, Monroe, Maryland.
- Fellers, G.M., L.L. McConnell, D. Pratt, and S. Datta. 2004. Pesticides in mountain yellow-legged frogs (*Rana muscosa*) from the Sierra Nevada mountains of California, USA. Environmental Toxicology and Chemistry 23:2170-2177.
- Garry, V.F. 1999. Herbicides and adjuvants: an evolving view. Toxicology and Industrial Health. Jan-Mar;15(1-2):159-67.
- Gasnier, C. et al. 2009. Glyphosate-based herbicides are toxic and endocrine disruptors in human cell lines. Toxicology 262 (2009) 184–191.
- Govindarajulu, P. P. 2008. Literature review of impacts of glyphosate herbicide on amphibians: What risks can the silvicultural use of this herbicide pose for amphibians in B.C.?. B.C. Ministry of Environment, Victoria, BC. Wildlife Report No. R-28.
- Guyton, K.Z. et al. 2015. Carcinogenicity of tetrachlorvinphos, parathion, malathion, diazinon, and glyphosate. Lancet Oncology. Published online March 20, 2015.
[http://dx.doi.org/10.1016/S1470-2045\(15\)70134-8](http://dx.doi.org/10.1016/S1470-2045(15)70134-8)
- Hayes, T., K. Haston, M. Tsui, A. Hoang, C. Haeffele and A. Vonk. 2003. Atrazine-Induced Aermaphroditism at 0.1 ppb in American Leopard Frogs (*Rana pipiens*): Laboratory and Field Evidence. Environmental Health Perspectives 111(4). Accessed 23 August 2012 from:
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1241446/pdf/ehp0111-000568.pdf>
- Hayes, T.B., P. Case, S. Chui, D. Chung, C. Haefele, K. Haston, M. Lee, V.P. Mai, Y. Marjuoa, J. Parker and M. Tsui. 2006. Pesticide mixtures, Endocrine disruption, and amphibian declines: Are we underestimating the impact? Environmental Health Perspectives. The National Institute of Environmental Health Sciences. Accessed 23 August 2012 from:
<http://training.fws.gov/beta/branchsites/CSP/Resources/pesticides/Limitations%20and%20Uncertainty/Hayes%20et%20al%20in%20press%20EHP%20mixtures%20January%202006.pdf>

- Houck, N. and E.P. Burkhart. 2001. Penn State research uncovers clopyralid in compost. University studies identify grass as major culprit, while growth trials continue using tainted compost. *BioCycle* July 2001, p. 32.
- Howe, C.M., M. Berrill, B.D. Pauli, C.C. Helbing, K. Werry, and N. Veldhoens. 2004. Toxicity of Glyphosate-based pesticides to four North American frog species. *Environmental Toxicology and Chemistry* 23:1928-1938.
- Lahmanovich, R.C., M.T. Sandoval, and P.M. Peltzer. 2003. Induction of mortality and malformation in *Scinax nasicus* tadpoles exposed to Glyphosate formulations. *Bulletin of Environmental Contaminants and Toxicology* 70:612-618.
- Lobet, I. 2012. In Oregon, Residents Struggle to Solve a Pesticide Mystery. *The Atlantic*. Accessed 24 August 2012 from: <http://www.theatlantic.com/national/archive/2012/08/in-oregon-residents-struggle-to-solve-a-pesticide-mystery/261083/>
- Marc, J., M. Le Breton, P. Cormier, J. Morales, R. Belle', O. Mulner-Lorillon. 2005. A glyphosate-based pesticide impinges on transcription. *Toxicology and Applied Pharmacology* 203, 1 – 8.
- Marc, J., O. Mulner-Lorillon, S. Boulben, D. Hureau, G. Durand, and R. Belle. 2002. Pesticide Roundup provokes cell division dysfunction at the level of CDK1/Cyclin B activation. *Chem. Research Toxicol.* 15, 326-331.
- McDonald, P.N. and G.O. Fiddler. 1993. Feasibility of alternatives to herbicides in young conifer plantations in California. *Can. J. For. Res.* 23(10): 2015-2022.
- McGinnis, T.W., J.E. Keeley, S.L. Stephens, and G.B. Roller. 2010. Fuel buildup and potential fire behavior after stand-replacing fires, logging fire-killed trees and herbicide shrub removal in Sierra Nevada forests. *Forest Ecol. Mgmt.* 260(2010):22-35.
- Miller, K.V. and J. H. Miller. 2004. Forestry herbicide influences on biodiversity and wildlife habitat in southern forests. *Wildlife Society Bulletin.* 32(4):1049-1060.
- Multiple studies show that Monsanto's Roundup is toxic, *GM WATCH Daily*, 3/20/07
- Pimentel, David, H. Acquay, M. Biltonen, P. Rice, M. Silva, J. Nelson, V. Lipner, S. Giordano, A. Horowitz, and M. D'Amore. 1992. Environmental and economic costs of pesticide use. *Bioscience* Vol. 42 No. 10: 750-760.
- Porter, W.P. et al. 1999. Endocrine, immune and behavioral effects of aldicarb (carbamate), atrazine (triazine) and nitrate (fertilizer) mixtures at groundwater concentrations. *Toxicology and Industrial Health* 15:133-150.
- Rashin, E. and Graber, C. 1993. Effectiveness of Best Management Practices for Aerial Application of Forest Pesticides. Timber/Fish/Wildlife Cooperative Monitoring, Evaluation, and Research Committee Water Quality Steering Committee. Washington State Department of Ecology. Ecology Publication No: 93-81. Accessed 2 November 2012 from: <http://ptairwatchers.org/pdfs/health/spraysonmanagedforests%201993.pdf>

- Relyea, R.A. 2005a. The Impact of Insecticides and Herbicides on the Biodiversity and Productivity of Aquatic Communities. *Ecological Applications* 15(2): 618-627. Accessed 23 August 2012 from: <http://people.sc.fsu.edu/~pbeerli/conservation-bio/web-content/restricted/papers/relyea-2005.pdf>
- Relyea, R.A. 2005b. The lethal impacts of Roundup and predatory stress on six species of North American tadpoles. *Arch. Environ. Contam. Toxicol.* 48, 351–357.
- Relyea, R.A. 2005c. The lethal impact of Roundup on aquatic and terrestrial amphibians. *Ecol.App.* 15(4):1118-1124.
- Relyea, R.A., and D.K. Jones. 2009. The toxicity of roundup original Max® to 13 species of larval amphibians. *Environmental Toxicology and Chemistry* 28:2004-2008.
- Relyea, Rick A. and Nicole Diecks. 2008. An Unforeseen Chain of Events: Lethal Effects of Pesticides on Frogs at Sublethal Concentrations. *Ecological Applications*, 18(7), pp. 1728–1742.
- Richard, S., S. Moslemi, H. Sipahutar, N. Benachour and G.-E. Seralini. 2005. Differential Effects of Glyphosate and Roundup on Human Placental Cells and Aromatase. *Environmental Health Perspectives*. 113: 716-720. Accessed 24 August 2012 from: <http://www.biomedsearch.com/attachments/00/15/92/98/15929894/ehp0113-000716.pdf>
- Rinella, M.J. et al. 2009. Control effort exacerbates invasive-species problem. *Ecological Applications* 19(1), 2009, pp. 155–162.
- Roundup Birth Defects: Regulators Knew World's Best-Selling Herbicide Causes Problems, New Report Finds, *Huffington Post*, 6/7/11
- Sawada, Y. et al. 1988. Probable toxicity of surface-active agent in commercial herbicide containing glyphosate. *Lancet* Feb. 6, 1988:299.
- SERA 2001. Documentation for the Use of GLEAMS and Auxiliary Programs in Forest Service Risk Assessments. July 6, 2001. AT 2001-01b. 25 pages.
- SERA 2004. Clopyralid Human Health and Ecological Risk Assessment – Final Report. December 5, 2004.
- SERA 2008 Aminopyralid Human Health and Ecological Risk Assessment – Final Report. Prepared for USDA FS and National Park Service. SERA TR-052-04-04a. Fayetteville, NY.
- SERA 2014a. Scoping/Screening Level Risk Assessment on Clethodim: Final Report. October 2014. 231 pages.
- SERA 2014b. Scoping/Screening Level Risk Assessment on Fluazifop-P-Butyl: Final Report. October 2014. 274 pages.
- Sierra Club of Canada. 2005. Overview of the toxic effects of 2,4-D.

Sparling, D.W., J. Bickham, D. Cowman, G.M. Fellers, T. Lacher, C.W. Matson, and L. McConnell. 2015. In situ effects of pesticides on amphibians in the Sierra Nevada. *Ecotoxicology* 24:264-278.

Sullivan, D. 2011. The aminopyralid challenge continues: herbicide sprayed on hay remains active in horse manure three years later. *BioCycle* June 2011, Vol. 52, No. 6, p. 28.

Surgan, M.H. 2005. Toxicity Tests: "Inert" and Active Ingredients. *Environ Health Perspect.* 113(10):A657-8.

Weed killer kills human cells, *Environmental Health News*, 6/22/09