

Wildlife Citations

- . 2002. Spatial tests of the pesticide drift, habitat destruction, UV-B, and climate-change hypotheses for California amphibian declines. *Conservation Biology* 16:1588-1601.
- Aubry, K.B. and J.C. Lewis. 2003. Extirpation and reintroduction of fishers (*Martes pennanti*) in Oregon: implications for their conservation in the Pacific states. *Biological Conservation* 114: 79-90. Accessed 21 August 2012 from:
http://www.fws.gov/filedownloads/ftp_region6_upload/Fisher%20Northern%20Rockies%20Status%20Review/FINAL%20Literature%20for%20Fisher%2090-day/Aubry%20and%20Lewis%202003.pdf
- Augustine, J. 2012. Court Orders California to Reconsider Protection for Rare Forest Mammal. Center for Biological Diversity Press Release. Accessed 20 August from:
http://www.biologicaldiversity.org/news/press_releases/2012/pacific-fisher-07-24-2012.html
- Bees in freefall as study shows sharp US decline, UK Guardian, 1/3/11
- Black, S.H. et al. 2009. Yolo Natural Heritage Program (HCP/NCCP) Pollinator Conservation Strategy. Xerces Society for Invertebrate Conservation. Portland, Oregon and Sacramento, California.
- Blakesley, J.A., B.R. Noon and D.R. Anderson. 2005. Site occupancy, apparent survival, and reproduction of California spotted owls in relation to forest stand characteristics. *Journal of Wildlife Management* 69(4): 1554-1564. Accessed 22 August 2012 from:
<http://www.sierraforestlegacy.org/Resources/Conservation/SierraNevadaWildlife/CaliforniaSpottedOwl/CASPO-Blakesley05.pdf>
- Blaustein, A.R., J.R. Romansic, J.M. Kiesecker, and A.C. Hatch. 2003. Ultraviolet radiation, toxic chemicals, and amphibian population declines. *Diversity and Distributions* 9:123-140.
- Bolen, Eric G. and William L. Robinson. 1995. *Wildlife Ecology and Management*. Prentice Hall, Inc. Englewood Cliffs, NJ.
- Buchmann, S.I and G.P. Nabhan. 1996. *The Forgotten Pollinators*. Washington DC., Island Press.
- Buck, S.G., C. Mullis, A.S. Mossman, I. Show and C. Coolahan. 1994. Habitat Use by Fishers in Adjoining Heavily and Lightly Harvested Forest. In: Buskirk, S.W., A.S. Harestad, M.G. Raphael and R.A. Powell, (Eds.) *Martens, Sables and Fishers: Biology and Conservation*. Cornell University Press, Ithaca, NY, pp.368–376. Accessed 22 August from:
http://www.fws.gov/filedownloads/ftp_region6_upload/Fisher%20Northern%20Rockies%20Status%20Review/FINAL%20Literature%20for%20Fisher%2090-day/Buck%20et%20al.%201994.pdf
- Bull, E. L. and R. S. Holthausen. 1993. Habitat use and management of Pileated Woodpeckers in northeastern Oregon. *Journal of Wildlife Management* 57: 335–345. Accessed 2 August 2012 from: <ftp://ftp2.fs.fed.us/incoming/r5/Klamath/MTM.Records/Final.Project.Record/J.%20LiteratureCited/Wildlife/Bull%20and%20Holthausen1993.pdf>

- Bull, E. L., R. S. Holthausen and M. G. Henjum. 1992. Roost trees used by Pileated Woodpeckers in northeastern Oregon. *Journal of Wildlife Management* 56: 786–793.
- Bull, E.L. 2001. Survivorship of pileated woodpeckers in northeastern Oregon. *Journal of Field Ornithology* 72(1): 121-135. Accessed 23 August 2012 from: <http://www.sierraforestlegacy.org/Resources/Conservation/SierraNevadaWildlife/PileatedWoodpecker/PW-Bull01.pdf>
- Burnett, R.D., D. Jongsomjit, and T. Ellis. 2008. Chapter 2. Management Indicator Species Woodpecker Monitoring in the Lassen National Forest. In: R.D. Burnett, D. Jongsomjit, M. Herzog, D. Stralberg, T. Ellis and D. Humple. *Avian Monitoring in the Lassen and Plumas National Forests: 2007 Annual Report*. PRBO Contribution Number 1620. Accessed 1 August 2012 from: http://www.qlg.org/pub/miscdoc/admin_study/2007/birds.pdf#page=37
- Bury, R. Bruce. 2006. Natural History, Field Ecology, Conservation Biology and Wildlife Management: time to connect the dots. *Herpetological Conservation and Biology* 1 (1): 56-61.
- Buskirk, S.W. and L.F. Ruggiero. 1994. American marten. In: Ruggiero, L.F., K.B. Aubry, S.W. Buskirk, L.J. Lyon and W.J. Zielinski, tech. eds. *The scientific basis for conserving forest carnivores: American marten, fisher, lynx, and wolverine in the Western United States*. Gen. Tech. Rep. RM-GTR-254. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station: 38–73. Accessed on 1 June 2012 from: http://www.fs.fed.us/rm/pubs_rm/rm_gtr254.pdf
- Buskirk, S.W. and Zielinski, W.J. 1997. American marten (*Martes americana*) ecology and conservation. pg 17-22. From: Harris, J.E. and C.V. Ogan, Eds. *Mesocarnivores of Northern California: Biology, Management, & Survey Techniques*, Workshop Manual. August 12-15, 1997, Humboldt State Univ., Arcata, CA. The Wildlife Society, California North Coast Chapter, Arcata, CA. 127 p. Accessed 1 June 2012 from: www.fs.fed.us/psw/publications/4251/harris.pdf
- California Department of Fish and Game, Wildlife Management Division. 1998. Report to the Fish and Game Commission: An assessment of Mule and Black-Tailed Deer Habitats and Populations in California. Sacramento.
- California Senate Office of Research. 2002. Timber harvesting and water quality forest practice rules fail to adequately address water quality and endangered species. http://www.sen.ca.gov/sor/reports_...NVIRONMENT_NATURAL_RESOURCES/TIMBERFYI.htm
- Callas, R. L. and P. Figura. 2008. Translocation plan for the reintroduction of fishers (*Martes pennanti*) to lands owned by Sierra Pacific Industries in the northern Sierra Nevada of California. California Department of Fish and Game. 80 pp. Accessed 20 August 2012 from: <https://r1.dfg.ca.gov/Portal/LinkClick.aspx?fileticket=TBCppP3Fmkg%3d&tabid=832>
- Campbell, T.M. 1979. Short-term effects of timber harvests on pine marten ecology. Ft. Collins, CO: Colorado State University. M.S. thesis. 71 p.
- Carey, A.B. 2000. Effects of new forest management strategies on squirrel populations. *Ecological*

Applications 10(1): 248-257. Accessed 22 August 2012 from:
<http://www.sierraforestlegacy.org/Resources/Conservation/SierraNevadaWildlife/NorthernFlyin gSquirrel/NFS- Carey00.pdf>

Cauble, K., and R.S. Wagner. 2005. Sublethal effects of the herbicide Glyphosate on amphibian metamorphosis and development. *Bulletin of Environmental Contaminants and Toxicology* 27:429-435.

Center for Biological Diversity. 2000. Petition to list the fisher (*Martes pennanti*) as an endangered species in its West Coast range. Accessed 22 August 2012 from
http://www.biologicaldiversity.org/species/mammals/Pacific_fisher/pdfs/pet.pdf

Chatfield, A.H. 2005. Habitat Selection by a California Spotted Owl Population: A Landscape Scale Analysis Using Resource Selection Functions. A Thesis in partial fulfillment of the requirements for the degree of Master of Science in Wildlife Conservation, University of Minnesota, St Paul. Accessed 22 August 2012 from:
<http://www.sierraforestlegacy.org/Resources/Conservation/SierraNevadaWildlife/CaliforniaSpot tedOwl/CASPO- Chatfield05.pdf>

Chen, C.Y., K.M. Hathaway, and C.L. Folt. 2004. Multiple stress effects of Vision® herbicide, pH, and food on zooplankton and larval amphibian species from forest wetlands. *Environmental Toxicology and Chemistry* 23:823-831.

Chen, Jiquan, J.F. Franklin, T.A. Spies. 1993. Contrasting microclimates among clearcut, edge, and interior of old-growth Douglas-fir forest. *Agricultural and Forest Meteorology* 63, 219-237.

Cheng R and PG Lee. 2009. Recent (1990-2007) Anthropogenic Change within the Forest Landscapes of Nova Scotia. Edmonton, Alberta: Global Forest Watch Canada. 62 pp.

Coalition for a Sustainable Delta. California Salmon Season Fully Restored. Accessed 23 August 2012 from: <http://www.sustainabledelta.com/salmonfeature.html>

Dark, S.J. 1997. A Landscape-scale analysis of mammalian carnivore distribution and habitat use by fisher. A Thesis in partial fulfillment of the requirements for the degree Masters of Science at Humboldt State University. Accessed 22 August 2012 from:
http://www.fws.gov/filedownloads/ftp_region6_upload/Beth%20Dickerson/Literature %20for %20Fisher%2090-day/Dark%201997.pdf

Davidson, C. 2004. Declining downwind: amphibian population declines in California and historical pesticide use. *Ecological Applications* 14:1892-1902.

Davidson, C., and R.A. Knapp. 2007. Multiple stressors and amphibian declines: dual impacts of pesticides and fish on yellow-legged frogs. *Ecological Applications* 17:587-597.

Davidson, C., H.B. Shaffer, and M.R. Jennings. 2001. Declines of the California red-legged frog: climate, UV-B, habitat, and pesticide hypotheses. *Ecological Applications* 11:464-479.

DFG. 2011. Fisher Translocation Project: Notes from the Field. Accessed 20 August 2012 from:
<https://r1.dfg.ca.gov/portal/FisherTranslocationProject/NotesfromtheField/tabid/835/Default.asp>

- Fellers, G.M., L.L. McConnell, D. Pratt, and S. Datta. 2004. Pesticides in mountain yellow-legged frogs (*Rana muscosa*) from the Sierra Nevada mountains of California, USA. *Environmental Toxicology and Chemistry* 23:2170-2177.
- Fimrite, P. 2012. Fishery experts forecast banner salmon season. *San Francisco Chronicle*. Accessed 23 August 2012 from: <http://www.sfgate.com/outdoors/article/Fishery-experts-forecast-banner-salmon-season-3390597.php>
- Fish and Wildlife Service. 2003. 12-month Finding for a Petition to List the California Spotted Owl (*Strix occidentalis occidentalis*). *Federal Register* Vol. 68(31). Accessed 22 August from: <http://www.sierraforestlegacy.org/Resources/Conservation/SierraNevadaWildlife/CaliforniaSpottedOwl/CASPO-USFWSFinding03.pdf>
- Fish and Wildlife Service. 2004. 12-month Finding for a Petition to List the West Coast Distinct Population Segment of the Fisher (*Martes pennanti*). *Federal Register* Vol. 69(68). Accessed 10 August from: http://ecos.fws.gov/docs/federal_register/fr4318.pdf
- Fish and Wildlife Service. 2006. 12-month Finding for a Petition to List the California Spotted Owl (*Strix occidentalis occidentalis*) as Threatened or Endangered. *Federal Register* Vol. 71(100). Accessed 22 August from: <http://www.sierraforestlegacy.org/Resources/Conservation/SierraNevadaWildlife/CaliforniaSpottedOwl/CASPO-USFWS06.pdf>
- Fish and Wildlife Service. 2007. 12-Month Finding on a Petition to List the Sierra Nevada Distinct Population Segment of the Mountain Yellow-Legged Frog (*Rana muscosa*). *Federal Register* 72(121). Accessed 23 August 2012 from: <http://www.sierraforestlegacy.org/Resources/Conservation/SierraNevadaWildlife/SierraNevadaMountainYellowLeggedFrog/YLF-USFWS07.pdf>
- Floyd, M. 2011. Fewer marten detections in California forest linked to decline in habitat. *OSU News & Research Communications*. Accessed 20 August from: <http://oregonstate.edu/ua/ncs/archives/2011/oct/fewer-marten-detections-california-forest-linked-decline-habitat>
- Franklin, J.F. 1993. Preserving biodiversity: species, ecosystems or landscapes? *Ecol. Appl.* 3, 202–205.
- Franklin, J.F., and T.A. Spies. 1991. Composition, function, and structure of old-growth Douglas fir forests. In: Ruggiero, L.F., Aubry, K.B., Carey, A.B., Huff, M.H. (Eds.), *Wildlife and Vegetation of Unmanaged Douglas-fir Forests*. U.S. Department of Agriculture, Forest Service: Pacific Northwest Research Station, Portland, Oregon, pp. 71–80.
- Franklin, J.F., Graber, D., Johnson, N.K., Fites-Kaufmann, J. Menning, K., Parsons, D., Sessions, J., Spies, T.A., Tappeiner, J., and Thornburgh, D. 1996. *Alternative Approaches to Conservation of Late-Successional Forests in the Sierra Nevada and Their Evaluation*. Sierra Nevada Ecosystem Project, Final Report to Congress, Addendum. Univ. Calif. Centers for Water and Wildland Resources, Davis, CA 95616.

- Franklin, J.F., T.A. Spies, R. Van Pelt, A.B. Carey, D.A. Thornburgh, D. Rae Berg, D.B. Lindenmayer, M.E. Harmon, W.S. Keeton, D.C. Shaw, K. Bible and J. Chen. 2002. Disturbances and structural development of natural forest ecosystems with silvicultural implications, using Douglas-fir forests as an example. *Forest Ecology and Management* 155: 399-423. Accessed 15 November 2012 from: <http://www.uvm.edu/rsenr/wkeeton/pubpdfs/Franklin%20Keeton%20et%20al%202002%20For%20Eco%20and%20Mgt.pdf>
- Franklin, Jerry F. and Richard T.T. Forman. 1987. Creating landscape patterns by forest cutting: Ecological consequences and principles. *Landscape Ecology*. 1(1): 5-18. Accessed 20 August 2012 from: <http://andrewsforest.oregonstate.edu/pubs/pdf/pub71.pdf>
- Gibilisco, C.J., 1994. Distributional dynamics of modern *Martes* in North America. In: Buskirk, S.W., A.S. Harestad, M.G. Raphael and R.A. Powell, Eds. *Martens, Sables, and Fishers*. Comstock Publishing Associates, Cornell University Press, Ithaca, New York, pp. 59–71.
- Gil-Tena, A., Saura, S., Brotons, L. 2007. Effects of forest composition and structure on bird species richness in a Mediterranean context: implications for forest ecosystem management. *For. Ecol. Manage.* 242, 470–476.
- Gould, G.I. 1975. Habitat Requirements of the Spotted Owl in California. *Cal-Neva Wildlife Transactions*. 102-117. Accessed 22 August 2012 from: <http://www.tws-west.org/transactions/Gould.pdf>
- Govindarajulu, P. P. 2008. Literature review of impacts of glyphosate herbicide on amphibians: What risks can the silvicultural use of this herbicide pose for amphibians in B.C.?. B.C. Ministry of Environment, Victoria, BC. Wildlife Report No. R-28.
- Graber, David M. 1996. Status of Terrestrial Vertebrates. *Sierra Nevada Ecosystem Project: Final report to Congress, vol. II, Assessments and scientific basis for management options*. Davis: University of California, Centers for Water and Wildland Resources.
- Groom, J.D., L. Dent and L.J. Madsen. 2011. Stream temperature change detection for state and private forests in the Oregon Coast Range. *Water Resources Research* 47. Accessed 16 August 2012 from: <http://scholarsarchive.library.oregonstate.edu/xmlui/bitstream/handle/1957/23520/GroomJeremy.FERM.StreamTemperatureChange.pdf?sequence=1>
- Gutierrez, R.J., J. Verner, K. S. McKelvey, B. R. Noon, G.N. Steger, D.R. Call, W.S. LaHaye, B.B. Bingham and J.S. Sensor. 1992. Chapter 5: Habitat Relations of the California Spotted Owl. pp. 79-98. In J. Verner, K. S. McKelvey, B. R. Noon, R. J. Gutierrez, G. I. G. Jr., & T. W. Beck (Eds.), *The California spotted owl: a technical assessment of its current status*. Gen Tech. Rep. PSW-GTR-133. Albany, CA: Pacific Southwest Research Station, USDA Forest Service. 285 p. Accessed on 6 August 2012 from http://www.fs.fed.us/psw/publications/documents/psw_gtr133/psw_gtr133_chap5.pdf
- Hagar, Joan C. 2007. Wildlife species associated with non-coniferous vegetation in Pacific Northwest conifer forests: A review. *Forest Ecology and Management* 246: 108-122.

- Hargis, C.D., J.A. Bissonette and D.L. Turner. 1999. The influence of forest fragmentation and landscape pattern on American martens. *Journal of Applied Ecology*. 36: 157-172. Accessed 20 August 2012 from: <http://www.wildlifeandroads.org/john/documents/Hargis-bissonette-turner1999HQ.pdf>
- Harvey, B.C., J.L. White and R.J. Nakamoto. 2009. The Effect of Deposited Fine Sediment on Summer Survival and Growth of Rainbow Trout in Riffles of a Small Stream. *North American Journal of Fisheries Management* 29: 434-440. Accessed 16 November 2012 from: <ftp://frap.cdf.ca.gov/pub/incoming/IMMP/Wet%20Weather%20Log%20Hauling/Wilson's%20Papers/Harvey%20et%20al.%202009%20%20Effect%20of%20depoisted%20fine%20sediment%20on%20summer%20survival%20on%20growth%20of%20rainbow%20trout.pdf>
- Hayes, T., K. Haston, M. Tsui, A. Hoang, C. Haeffele and A. Vonk. 2003. Atrazine-Induced Aermaphroditism at 0.1 ppb in American Leopard Frogs (*Rana pipiens*): Laboratory and Field Evidence. *Environmental Health Perspectives* 111(4). Accessed 23 August 2012 from: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1241446/pdf/ehp0111-000568.pdf>
- Hayes, T.B., P. Case, S. Chui, D. Chung, C. Haefele, K. Haston, M. Lee, V.P. Mai, Y. Marjuoa, J. Parker and M. Tsui. 2006. Pesticide mixtures, Endocrine disruption, and amphibian declines: Are we underestimating the impact? *Environmental Health Perspectives*. The National Institute of Environmental Health Sciences. Accessed 23 August 2012 from: <http://training.fws.gov/beta/branchsites/CSP/Resources/pesticides/Limitations%20and%20Uncertainty/Hayes%20et%20al%20in%20press%20EHP%20mixtures%20January%202006.pdf>
- Howe, C.M., M. Berrill, B.D. Pauli, C.C. Helbing, K. Werry, and N. Veldhoens. 2004. Toxicity of Glyphosate-based pesticides to four North American frog species. *Environmental Toxicology and Chemistry* 23:1928-1938.
- Humple, D.L. and R.D. Burnett. 2010. Nesting Ecology of Yellow Warblers (*Dendroica Petechia*) in Montane Chaparral Habitat in the Northern Sierra Nevada. *Western North American Naturalist*. 70(3), 355-363. Accessed 20 August 2012 from: http://www.prbo.org/refs/files/12018_Humple+Burnett.pdf
- IUCN. 2008. Amphibians: Analysis of Data: Summary of Key Findings. Accessed 23 August 2012 from: <http://www.iucnredlist.org/initiatives/amphibians/analysis>
- Karr, James R., J.J. Rhodes, G.W. Minshall, F.R. Hauer, R.L. Beschta, C.A. Frissell, and D.A. Perry. 2004. The Effects of Postfire Salvage Logging on Aquatic Ecosystems in the American West. *Bioscience* Vol. 54 No. 11: 1029-1033.
- Karraker, N.E. and H.H. Welsh Jr. 2006. Long-term impacts of even-aged timber management on abundance and body condition of terrestrial amphibians in Northwestern California. *Biological Conservation* 131: 132-140. Accessed 23 August 2012 from: <http://www.stopclearcuttingcalifornia.org/bca/research/Long%20term%20impacts%20of%20evenaged%20mgmt.pdf>
- Katz, J., P.B. Moyle, R.M. Quinones, J. Israel and S. Purdy. 2012. Impending extinction of salmon,

steelhead, and trout (Salmonidae) in California. *Environmental Biology of Fishes*. Published online 31 January 2012. DOI 10.1007/s10641-012-9974-8.

- Keane, J., C.V. Gallagher, R.A. Gerrard, G. Jehle, P.A. Shaklee. 2012. Chapter 5: Spotted Owl Module. pp. 116- 155. In: *Plumas Lassen Study: 2010 Annual Report*. USDA Forest Service. Accessed on 3 August 2012 from:
www.sierraforestlegacy.org/Resources/Conservation/SierraNevadaWildlife/CaliforniaSpottedOwl/CASPO-PlumasLassenStudy2010.pdf
- Kearns, C.A. et al. 1998. Endangered mutualisms: the conservation of plant-pollinator interactions. *Annual Review of Ecology and Systematics*. 29:83-113.
- Kearns, C.A., and D.W. Inouye. 1997. *Pollinators, Flowering Plants, and Conservation Biology*. Bioscience. May 1997.
- Kier Associates. 2009. *Aquatic Habitat Conditions in Battle Creek and Their Relationship to Upland Management*. Arcata, California, 34 p. Retrieved from battle-creek.net 4/2/11.
http://www.battle-creek.net/docs/restoration/bowman_comments_appb.pdf
- Klein, R.D., J. Lewis and M.S. Buffleben. 2011. Logging and turbidity in the coastal watersheds of northern California. *Geomorphology*. 136-144. Accessed 6 November 2012 from:
<http://www.stopclearcuttingcalifornia.org/bca/research/Logging%20and%20Turbidity%20Klein%202011.pdf>
- Lamberson, R. H., R. L. Truex, W. J. Zielinski and D. MacFarlane. 2000. Preliminary analysis of fisher population viability in the southern Sierra Nevada. Arcata, CA: Humboldt State University.
- Marshall, J.T. 1988. Birds lost from a giant sequoia forest during fifty years. *The Condor* 90: 359-372. Accessed 3 August 2012 from:
<http://www.sierraforestlegacy.org/Resources/Conservation/SierraNevadaWildlife/OliveSidedFlycatcher/OSF-Marshall88.pdf>
- Mazurek, M.J., and W.J. Zielinski. 2004. Individual legacy trees influence vertebrate wildlife diversity in commercial forests. *Forest Ecology and Management* 193: 321-334. Accessed 15 November 2012 from: <http://www.fs.fed.us/psw/publications/4251/mazurek2.pdf>
- Meyer, M.D., D.A. Kelt and M.P. North. 2005. Nest Trees of Northern Flying Squirrels in the Sierra Nevada. *Journal of Mammalogy*. 86(2): 275-280. Accessed 22 August 2012 from:
<http://scholarsarchive.library.oregonstate.edu/xmlui/bitstream/handle/1957/17452/Nest%20trees%20of%20the%20northern%20flying%20squirrel.pdf?sequence=1>
- Miller, J.C. and P.C. Hammond. 2007. *Butterflies and Moths of Pacific Northwest Forests and Woodlands: Rare, Endangered, and Management Sensitive Species*. Forest Health Enterprise Team, FHTET-2006-07.
- Moriarty, K.M., W.J. Zielinski, E.D. Forsman. 2011. Decline in American marten occupancy rates at Sagehen Experimental Forest, California. *Journal of Wildlife Management*. 75(8): 1774-1787.
- Morrison, M.L., K.A. With, I.C. Timossi, W.M. Block and K.A. Milne. 1987. Foraging Behavior of

Bark-Foraging Birds in the Sierra Nevada. *The Condor* 89: 201-204. Accessed 1 August 2012 from: https://www.ksu.edu/withlab/publications/Condor_1987.pdf

- Moyle, P.B., R.M. Yoshiyama, R.A. Knapp. 1996. Status of Fish and Fisheries. pp. 960. In: *Sierra Nevada Ecosystem Project: Final Report to Congress, vol. II, Assessments and scientific basis for management options*. Davis: University of California, Centers for Water and Wildlife Resources. Accessed 23 August 2012 from: <http://www.sierraforestlegacy.org/Resources/Conservation/SierraNevadaWildlife/Chinook/CH-Moyle-et-al-1996.pdf>
- Munton, T.E., K.D. Johnson, G.N. Steger and G.P. Eberlein. 2002. Diets of California Spotted Owls in the Sierra National Forest. USDA Forest Service Gen. Tech. Rep. PSW-GTR-183. Accessed 22 August 2012 from: <http://www.sierraforestlegacy.org/Resources/Conservation/SierraNevadaWildlife/CaliforniaSpottedOwl/CASPO-Munton02.pdf>
- North, M. and P. Manley. 2012. Chapter 6: Managing Forests for Wildlife Communities. p. 73-80. from: North, M., ed. 2012. *Managing Sierra Nevada forests*. Gen. Tech. Rep. PSW-GTR-237. Albany, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station. 184 p. Accessed 20 August 2012 from: http://www.fs.fed.us/psw/publications/documents/psw_gtr237/psw_gtr237.pdf
- North, M., P. Stine, K. O'Hara, W. Zielinski and S. Stephens. 2009. An ecosystem management strategy for Sierran mixed-conifer forests. Gen. Tech. Rep. PSW-GTR-220. Albany, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station. 49 p. Accessed 5 October 2012 from: http://prdp2fs.ess.usda.gov/Internet/FSE_DOCUMENTS/stelprdb5351835.pdf
- Peterson, A.T. and C.R. Robins. 2003. Using Ecological-Niche Modeling to Predict Barred Owl Invasions with Implications for Spotted Owl Conservation. *Conservation Biology* 17(4): 1161-1165. Accessed 22 August 2012 from: <http://www.sierraforestlegacy.org/Resources/Conservation/SierraNevadaWildlife/CaliforniaSpottedOwl/CASPO-Peterson03.pdf>
- Petranka, J.W., M.E. Eldridge, K.E. Haley. 1993. Effects of Timber Harvesting on Southern Appalachian Salamanders. *Conservation Biology* 7(2): 363-370. Accessed 23 August 2012 from: http://fwf.ag.utk.edu/mgray/wfs493/petrankaetal1993_clearcutting.pdf
- Phillips, C.E.; Tempel, D.J.; Gutiérrez, R.J. 2010. Do California spotted owls select nest trees close to forest edges? *Journal of Raptor Research*. 44: 311-314. Accessed 22 August 2012 from: <http://fwcb.cfans.umn.edu/research/owls/publications/PDF's/Phillips%20et%20al%202010.pdf>
- Purcell, K.L., A.K. Mazzoni, S.R. Mori and B.B. Boroski. 2009. Resting structures and resting habitat of fishers in the southern Sierra Nevada, California. *Forest Ecology and Management* 258(12):2696-2706. Accessed 20 August 2012 from: http://www.sierraforestlegacy.org/Resources/Conservation/SierraNevadaWildlife/PacificFisher/FisherReintroduction/P_F_Purcell_%20etal_2009_resting_sites.pdf
- Pyare, S. and W.S. Longland. 2002. Interrelationships among Northern flying squirrels, truffles, and

microhabitat structure in Sierra Nevada old-growth habitat. *Canadian Journal of Forest Restoration* 32: 1016-1024. Accessed 22 August 2012 from: <http://www.sierraforestlegacy.org/Resources/Conservation/SierraNevadaWildlife/NorthernFlyingSquirrel/NFS-Pyare02.pdf>

Raphael, M.G. and M. White. 1978. Snags, Wildlife, and Forest Management in the Sierra Nevada. *Cal-Neva Wildlife: transactions*. Accessed 3 August 2012 from: <http://www.tws-west.org/transactions/Raphael%20White.pdf>

Reeves, G.H., F.H. Everest and J.R. Sedell. 1993. Diversity of Juvenile Anadromous Salmonid Assemblages in Coastal Oregon Basins with Different Levels of Timber Harvest. *Transactions of the American Fisheries Society* 122: 309-317. Accessed 16 November 2012 from: ftp://frap.fire.ca.gov/pub/incoming/TAC/T_I%20renotice%20tech%20doc%20August%2009%20%20KIRSTEN/Reeves_et_al_1993.pdf

Relyea, R.A. 2005a. The Impact of Insecticides and Herbicides on the Biodiversity and Productivity of Aquatic Communities. *Ecological Applications* 15(2): 618-627. Accessed 23 August 2012 from: <http://people.sc.fsu.edu/~pbeerli/conservation-bio/web-content/restricted/papers/relyea-2005.pdf>

Relyea, R.A. 2005b. The lethal impacts of Roundup and predatory stress on six species of North American tadpoles. *Arch. Environ. Contam. Toxicol.* 48, 351–357.

Relyea, R.A. 2005c. The lethal impact of Roundup on aquatic and terrestrial amphibians. *Ecol.App.* 15(4):1118-1124.

Relyea, R.A., and D.K. Jones. 2009. The toxicity of roundup original Max® to 13 species of larval amphibians. *Environmental Toxicology and Chemistry* 28:2004-2008.

Relyea, Rick A. and Nicole Diecks. 2008. An Unforeseen Chain of Events: Lethal Effects of Pesticides on Frogs at Sublethal Concentrations. *Ecological Applications*, 18(7), pp. 1728–1742.

Richter, A. and S.A. Kolmes 2005. Maximum Temperature Limits for Chinook, Coho, and Chum Salmon, and Steelhead Trout in the Pacific Northwest. *Reviews in Fisheries Science* 13: 23-49. Accessed August 23 2012 from: <ftp://aerl03.aerl.ubc.ca/n.taylor/Sockeye/Sockeye/s29.pdf>

Rittenhouse, T.A.G., Semlitsch, R.D. 2006. Grasslands as movement barriers for a forest-associated salamander: Migration behavior of adult and juvenile salamanders at a distinct habitat edge. *Biological Conservation* 131: 14–22.

San Francisco County Superior Court. 2012. Order Granting Petition for Writ of Mandate. Accessed 20 August from: <http://earthjustice.org/sites/default/files/072312-Order-Granting-Writ.pdf>

Schultz, Courtney. 2010. Challenges in connecting cumulative effects analysis to effective wildlife conservation planning. *Bioscience* Vol. 60 No. 7: 545-551.

Semlitsch, R.D., B.D. Todd, S.M. Blomquist, A.J.K. Calhoun, J.W. Gibbons, J.P. Gibbs, G.J. Graeter, E.B. Harper, D.J. Hocking, M.L. Hunter Jr., D.A. Patrick, T.A.G. Rittenhouse and B.B. Rothermel. 2009. Effects of Timber Harvest on Amphibian Populations: Understanding

Mechanisms from Forest Experiments. *BioScience* 59(10): 853-862. Accessed 23 August 2012 from:
<https://mospace.umsystem.edu/xmlui/bitstream/handle/10355/3721/EffectsTimberHarvest.pdf?sequence=1>

Semlitsch, R.D., C.A. Conner, D.J. Hocking, T.A.G. Rittenhouse and E.B. Harper. 2008. Effects of timber harvesting on pond-breeding amphibian persistence: testing the evacuation hypothesis. *Ecological Applications* 18(2): 283-289. Accessed 23 August 2012 from:
http://sites.google.com/site/danieljhocking/publications/Semlitsch_2008_EcologicalApplications.pdf

Sierra Forest Legacy. 2012. California Spotted Owl (*Strix occidentalis occidentalis*). Accessed 22 August 2012 from:
http://www.sierraforestlegacy.org/FC_SierraNevadaWildlifeRisk/CaliforniaSpottedOwl.php

Sierra Forest Legacy. 2012. Pileated Woodpecker (*Drycopus pileatus*). Accessed 23 August 2012 from:
http://www.sierraforestlegacy.org/FC_SierraNevadaWildlifeRisk/PileatedWoodpecker.php

Smallidge, P.J. and D.J. Leopold. 1997. Vegetation management for the maintenance and conservation of butterfly habitats in temperate human-dominated habitats. *Landscape and Urban Planning* 38:259-280.

Southwick Associates. 2009. Calculation of the Projected Economics and Jobs Impact of Salmon Recovery in California. Accessed 1 June 2012 from:
http://www.asafishing.org/newsroom/documents/salmon_recovery_economics.pdf

Soutiere, E.C. 1979. Effects of timber harvesting on marten in Maine. *Journal of Wildlife Management* 43:850-860.

Sparling, D.W., J. Bickham, D. Cowman, G.M. Fellers, T. Lacher, C.W. Matson, and L. McConnell. 2015. In situ effects of pesticides on amphibians in the Sierra Nevada. *Ecotoxicology* 24:264-278.

Stone, Katharine. 2010. *Martes americana*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). Accessed 20 August 2012 from: <http://www.fs.fed.us/database/feis/>

Suttle, K.B., M.E. Power, J.M. Levine and C. McNeely. 2004. How fine sediment in riverbeds impairs growth and survival of juvenile salmonids. *Ecological Applications* 14: 969-974. Accessed 23 August 2012 from: <http://www.stopclearcuttingcalifornia.org/bca/research/HOW%20FINE%20SEDIMENT%20IN%20RIVERBEDS%20IMPAIRS%20GROWTH%20AND%20SURVIVAL%20OF%20JUVENILE%20SALMONIDS.pdf>

Thompson, L.C., Escobar, M.I., Mosser, C.M., Purkey, D.R., Yates, D., Moyle, P.B. 2011. Water management adaptations to prevent loss of spring-run Chinook salmon in California under climate change. *J. Water Resour. Plann. Manage.*, 10.1061/(ASCE)WR.1943-5452.0000194 (Aug. 31, 2011). Available online at: <http://ascelibrary.org/wro/resource/3/jwrmxx/140>

Thorpe, R.W., D.S. Horning, and L.L. Dunning. 1983. Bumble bees and cuckoo bumble bees of

California (Hymenoptera, Apidae). Bulletin of the California Insect Survey, Vol. 23. UC Press, Berkeley and Los Angeles.

- U.S. Fish and Wildlife Service and National Marine Fisheries Service. 1998. Endangered species consultation handbook: procedures for conducting consultation and conference activities under section 7 of the Endangered Species Act. March 1998.
- Verner, J., R.J. Gutierrez and G.I. Gould. 1992. The California Spotted Owl: General Biology and Ecological Relations. In: Verner, J. K.S. McKelvey, B.R. Noon, R.J. Gutierrez, G.I. Gould and T.W. Beck (Eds). The California spotted owl: a technical assessment of its current status. Gen Tech. Rep. PSW-GTR-133. Albany, CA: Pacific Southwest Research Station, USDA Forest Service. 285 p. Accessed 22 August 2012 from: http://gis.fs.fed.us/psw/publications/documents/psw_gtr133/psw_gtr133_chap4.pdf
- Waters, J.R. and C.J. Zabel. 1995. Northern Flying Squirrel Densities in Fir Forests of Northeastern California. Journal of Wildlife Management 59(4) 858-866. Accessed 23 August 2012 from: <http://www.sierraforestlegacy.org/Resources/Conservation/SierraNevadaWildlife/NorthernFlyingSquirrel/NFS-Waters95.pdf>
- Weigl, P.D. 2007. The Northern Flying Squirrel (*Glaucomys sabrinus*): A conservation challenge. Journal of Mammalogy. 88(4): 897-907. Accessed 22 August 2012 from: <http://allenpress.com/pdf/MAMM%2088-04-897-907.pdf>
- Welsh, H.H., Jr. 2011. Frogs, Fish and Forestry: An Integrated Watershed Network Paradigm Conserves Biodiversity and Ecological Services. Diversity 3: 503-530. Accessed on 20 August 2012 from: http://www.fs.fed.us/psw/publications/welsh/psw_2011_welsh002.pdf
- Welsh, H.H., Jr. and L.M. Ollivier. 1998. Stream amphibians as indicators of ecosystem stress: A case study from California's redwoods. Ecological Applications 8(4): 1118-1132. Accessed 23 August 2012 from: http://www.cnah.org/pdf_files/18.pdf
- Welsh, H.H., Jr., T.D. Roelofs and C.A. Frissell. 2000. Chapter 6: Aquatic Ecosystems of the Redwood Region. In: Noss, R.F., Ed. The Redwood Forest: History, Ecology and Conservation of the Coast Redwoods. Island Press, Washington, D.C. Accessed 20 August 2012 from: <http://www.fs.fed.us/psw/publications/welsh/welsh12.pdf>
- Welsh, Hartwell H., Jr. and Garth R. Hodgson. 2009. Stream amphibians as metrics of critical biological thresholds in the Pacific Northwest, U.S.A.: a response to Kroll et al. Freshwater Biology 54, 2374–2382 doi:10.1111/j.1365-2427.2009.02273.x
- Wilson, M.F., S.M. Gende and B.H. Marston. 1998. Fishes and the Forest: Expanding perspectives on fish-wildlife interactions. Bioscience 48(6). Accessed 23 August 2012 from: <http://www.fish.washington.edu/people/naiman/contemporary/papers/willson.pdf>
- Wipfli, M.S. 2005. Trophic linkages between headwater forests and downstream habitats: implications for forest and fish management. Landscape and Urban Planning 72: 205-213. Accessed 15 November 2012 from: http://users.iab.uaf.edu/~mark_wipfli/pubs/2005_Wipfli_LUP.pdf
- Yoshimaya, R.M., E.R. Gerstung, F.W. Fisher and P.B. Moyle. 1996. Historical and Present

Distribution of Chinook Salmon in the Central Valley of California. In: Sierra Nevada Ecosystem Project: Final Report to Congress, vol. III, Assessments and scientific basis for management options. Davis: University of California, Centers for Water and Wildlife Resources. Accessed 23 August 2012 from:
<http://www.sierraforestlegacy.org/Resources/Conservation/SierraNevadaWildlife/Chinook/CH-Yoshiyama-et al1996.pdf>

Zielinski, W.J., R.L. Truex, G.A. Schmidt, F.V. Schlexer, K.N. Schmidt, R.H. Barrett. 2004. Home range characteristics of fishers in California. *Journal of Mammalogy* 85(4):649-657. Accessed 20 August 2012 from:
<http://www.sierraforestlegacy.org/Resources/Conservation/SierraNevadaWildlife/PacificFisher/PF-Zielinski04.pdf>

Zielinski, W.J., R.L. Truex, G.A. Schmidt, F.V. Schlexer, K.N. Schmidt, R.H. Barrett. 2004. Resting Habitat Selection by Fishers in California. *Journal of Wildlife Management* 68(3):475-492. Accessed 20 August 2012 from:
<http://www.sierraforestlegacy.org/Resources/Conservation/SierraNevadaWildlife/PacificFisher/PF-Zielinski04c.pdf>